



Zipro

Zipro Ceramic Material

## DATA SHEET

### Zircon Flour

#### Chemical Analysis (wt% by XRF)

Composition	Typical (%)	Guaranteed (%)
ZrO <sub>2</sub> +HfO <sub>2</sub>	65.0	65.0(Min.)
Fe <sub>2</sub> O <sub>3</sub>	0.07	0.10(Max.)
TiO <sub>2</sub>	0.3-0.6	0.60(Max.)
Al <sub>2</sub> O <sub>3</sub>	0.7-1.5	1.50(Max.)
SiO <sub>2</sub>	33±1	34(Max.)
Average Particle Size(mesh)	200/325	
Total U+Th(ppm)	--	